

AMAP Assessment Report: Arctic Pollution Issues

Contents

| | | | |
|---|-----|--|-----------|
| Preface | v | Chapter 3 · The Influence of Physical and Chemical Processes on Contaminant Transport | |
| Acknowledgment | vi | | |
| Executive Summary | vii | | |
| Chapter 1 · Introduction | | 3.1. Introduction | 26 |
| 1.1. Development of international activities for environmental protection in the Arctic | 1 | 3.2. Atmosphere | 27 |
| 1.1.1. Background | 1 | 3.2.1. Single and multi-hop pathways | 27 |
| 1.1.2. The Arctic Environmental Protection Strategy (AEPS) | 1 | 3.2.2. Atmospheric transport | 27 |
| 1.1.3. The Arctic Council | 2 | 3.2.3. Atmosphere-surface exchange | 30 |
| 1.1.4. Summary | 2 | 3.2.3.1. Particle deposition | 30 |
| 1.2. International agreements and arrangements relevant to the Arctic | 2 | 3.2.3.2. Particle resuspension | 31 |
| 1.3. The AMAP Assessment process | 4 | 3.2.3.3. Wet deposition | 31 |
| 1.3.1. The Arctic Monitoring and Assessment Programme: Organizational background | 4 | 3.2.3.4. Gas exchange between atmosphere and snowpack/ice | 33 |
| 1.3.2. The development of AMAP and its activities during the first phase (1991-1996) | 5 | 3.2.3.5. Gas exchange between the atmosphere and soil, water, and vegetation | 33 |
| 1.3.3. Objectives and structure of the assessment | 6 | 3.2.3.6. Snow and ice melt | 33 |
| Reader's guide | 7 | 3.3. Terrestrial/freshwater | 33 |
| Acknowledgment | 7 | 3.3.1. Introduction and scope | 33 |
| References | 7 | 3.3.2. Sources of contaminants | 34 |
| | | 3.3.2.1. Atmospheric deposition | 34 |
| | | 3.3.2.2. Direct wastewater discharges | 34 |
| | | Russia | 35 |
| | | Alaska | 35 |
| | | Canada | 35 |
| | | 3.3.2.3. Municipal wastewater sources | 36 |
| | | Russia | 36 |
| | | Canada | 36 |
| | | Greenland | 36 |
| | | Iceland | 36 |
| | | Norway | 37 |
| | | 3.3.2.4. Agricultural sources | 37 |
| | | 3.3.3. Terrestrial processes | 38 |
| | | 3.3.3.1. Snowpack and snowmelt | 38 |
| | | 3.3.3.2. Terrestrial drainage systems | 40 |
| | | 3.3.3.3. Wetlands | 41 |
| | | 3.3.4. Aquatic processes | 42 |
| | | 3.3.4.1. Hydrology | 42 |
| | | Headwater systems | 42 |
| | | Large river systems | 43 |
| | | 3.3.4.2. Lakes and reservoirs | 45 |
| | | Small lakes | 46 |
| | | 3.3.4.3. Suspended sediments, sedimentation, and resuspension | 47 |
| | | Suspended sediments | 47 |
| | | Sediment deposition and resuspension | 48 |
| | | Effects of floods | 49 |
| | | 3.3.4.4. Humic matter in river systems | 49 |
| | | 3.3.4.5. Ice | 50 |
| | | Sources of contaminants to the ice | 51 |
| | | Transport processes | 51 |
| | | Dissolved oxygen (DO) | 51 |
| | | 3.3.5. Mass transport | 52 |
| | | 3.3.5.1. Water and suspended matter | 52 |
| | | Norway | 53 |
| | | Russia | 54 |
| | | Canada | 54 |
| | | 3.3.5.2. River/lake ice | 54 |
| | | 3.4. Estuaries, deltas, and fjords | 54 |
| | | 3.4.1. Estuaries | 55 |
| | | 3.4.2. Deltas | 56 |
| | | 3.4.3. Fjords | 57 |
| | | 3.4.4. Particle and nutrient transport | 57 |
| | | 3.4.5. Sedimentation | 58 |
| | | 3.4.6. Ice cover | 58 |
| | | 3.4.7. Contaminant fate | 59 |
| | | 3.5. Ocean | 59 |
| | | 3.5.1. Introduction | 59 |
| | | 3.5.2. Sources of contamination | 60 |
| | | 3.5.2.1. Rivers | 60 |
| | | 3.5.2.2. Glaciers | 60 |
| | | 3.5.2.3. Atmospheric deposition | 60 |
| | | Volatilization | 61 |
| | | 3.5.2.4. Dumping, direct discharge, and accidents | 61 |
| | | 3.5.2.5. Geology: resuspension and mass flows | 62 |
| | | 3.5.3. Ice | 62 |
| | | 3.5.3.1. Ice and icebergs | 62 |
| | | River ice | 62 |
| | | Sea ice | 62 |
| Chapter 2 · Physical/Geographical Characteristics of the Arctic | | | |
| 2.1. Introduction | 9 | | |
| 2.2. Definitions of the Arctic region | 9 | | |
| 2.2.1. Climate boundaries | 9 | | |
| 2.2.2. Vegetation boundaries | 9 | | |
| 2.2.3. Marine boundary | 10 | | |
| 2.2.4. Geographical coverage of the AMAP assessment | 10 | | |
| 2.3. Climate and meteorology | 10 | | |
| 2.3.1. Climate | 10 | | |
| 2.3.2. Atmospheric circulation | 11 | | |
| 2.3.3. Meteorological conditions | 11 | | |
| 2.3.3.1. Air temperature | 11 | | |
| 2.3.3.2. Ocean temperature | 12 | | |
| 2.3.3.3. Precipitation | 12 | | |
| 2.3.3.4. Cloud cover | 13 | | |
| 2.3.3.5. Fog | 13 | | |
| 2.3.3.6. Wind | 13 | | |
| 2.4. Physical/geographical description of the terrestrial Arctic | 13 | | |
| 2.4.1. General geographical description | 13 | | |
| 2.4.2. Geology and physiography | 15 | | |
| 2.4.3. Permafrost and soils | 16 | | |
| 2.5. Arctic freshwater environments | 17 | | |
| 2.5.1. Rainfall and snow | 17 | | |
| 2.5.2. Groundwater | 17 | | |
| 2.5.3. Wetlands | 17 | | |
| 2.5.3.1. Lowland polygon bogs and fens | 17 | | |
| 2.5.3.2. Peat mound bogs | 18 | | |
| 2.5.3.3. Snowpatch fens | 18 | | |
| 2.5.3.4. Tundra pool shallow waters | 18 | | |
| 2.5.3.5. Floodplain marshes | 18 | | |
| 2.5.3.6. Floodplain swamps | 18 | | |
| 2.5.3.7. Wetland occurrence | 18 | | |
| 2.5.4. Rivers | 18 | | |
| 2.5.5. Lakes | 19 | | |
| 2.5.6. Estuaries | 20 | | |
| 2.6. Arctic marine environment | 20 | | |
| 2.6.1. Geographical area and bathymetry | 20 | | |
| 2.6.2. Hydrographic conditions in the Arctic | 21 | | |
| 2.6.3. Ocean currents | 23 | | |
| 2.6.4. Sea ice | 23 | | |
| Acknowledgments | 23 | | |
| References | 23 | | |

| | | | |
|---|----|---|-----|
| Formation and melting | 63 | 3.7. Summary and information gaps | 100 |
| Fast ice | 63 | 3.7.1. Atmospheric pathways | 100 |
| Polynyas | 63 | 3.7.2. Terrestrial/freshwater pathways | 101 |
| Glaciers | 63 | 3.7.3. Ocean pathways | 102 |
| Ice drift | 65 | 3.7.4. Conclusions | 103 |
| Residence time | 65 | 3.7.5. Recommendations | 103 |
| Fluxes | 65 | Acknowledgments | 104 |
| 3.5.3.2. Contaminant incorporation in ice | 66 | References | 104 |
| River ice | 66 | | |
| Sea ice | 66 | | |
| Ice scouring | 67 | | |
| 3.5.3.3. Transport and release of contaminants by ice | 67 | | |
| Marginal ice zone and seas | 67 | | |
| 3.5.4. Transport pathways and hydrographic conditions in the Arctic seas | 68 | Chapter 4 · Ecological Characteristics of the Arctic | |
| 3.5.4.1. The Arctic Ocean | 68 | 4.1. Introduction | 117 |
| The Arctic Surface Layer | 68 | 4.2. Physical-geographical characteristics affecting Arctic ecosystems | 117 |
| The Atlantic Layer | 70 | 4.2.1. Recent glaciations | 117 |
| The Arctic Deep Water Layer | 71 | 4.2.2. Cold | 117 |
| 3.5.4.2. The Arctic shelf seas | 72 | 4.2.3. Low light levels | 118 |
| The Barents Sea | 72 | 4.2.4. Water availability | 118 |
| The Kara Sea, the Laptev Sea, and the East Siberian Sea | 73 | 4.2.5. Anthropogenic stressors | 118 |
| The Chukchi Sea | 73 | 4.3. General ecological characteristics of Arctic ecosystems relevant to contaminants and other stressors | 118 |
| The Beaufort Sea | 73 | 4.3.1. Low productivity | 118 |
| 3.5.4.3. The Nordic Seas | 74 | 4.3.2. Bioaccumulation and biomagnification | 118 |
| The Norwegian Sea | 74 | 4.3.3. Cyclic annual productivity | 118 |
| Atlantic flow through the Nordic Seas | 75 | 4.3.4. Low species diversity | 119 |
| The Norwegian Coastal Current | 75 | 4.4. Terrestrial ecosystems | 119 |
| The Greenland Sea | 76 | 4.4.1. Biogeographical zones | 119 |
| Polar flow through the Nordic Seas | 76 | 4.4.1.1. High Arctic | 119 |
| The Iceland Sea | 76 | 4.4.1.2. Low Arctic | 119 |
| Overflow waters | 77 | 4.4.1.3. Subarctic | 119 |
| 3.5.4.4. The Labrador Sea, Baffin Bay, Canadian Archipelago, and Canadian inland seas | 77 | 4.4.1.4. Boreal forest | 119 |
| Labrador Sea | 77 | 4.4.2. Primary production | 120 |
| Baffin Bay | 78 | 4.4.3. Plants | 120 |
| Nares Strait | 79 | 4.4.4. Terrestrial animals | 120 |
| Canadian Archipelago | 79 | 4.4.4.1. Invertebrates | 120 |
| Foxe Basin | 79 | 4.4.4.2. Vertebrates | 121 |
| Hudson Bay, James Bay, and Hudson Strait | 80 | 4.4.4.2.1. Birds | 121 |
| 3.5.4.5. The Bering Sea | 80 | Migratory birds | 121 |
| 3.5.4.6. Vertical mixing | 82 | Resident birds | 122 |
| Shelf convection in the Arctic | 83 | 4.4.4.2.2. Mammals | 122 |
| Open ocean convection in the Arctic | 84 | 4.4.5. Terrestrial food webs | 122 |
| Upwelling | 85 | 4.5. Freshwater ecosystems | 124 |
| Vertical particle fluxes | 85 | 4.5.1. Wetlands | 124 |
| 3.5.4.7. Oceanic time scales | 86 | 4.5.1.1. Types of wetland | 124 |
| Ages and residence times | 86 | 4.5.1.2. Plants | 124 |
| 3.6. Modeling | 87 | 4.5.1.3. Invertebrates | 124 |
| 3.6.1. Introduction | 87 | 4.5.1.4. Vertebrates | 124 |
| 3.6.2. Atmospheric modeling | 87 | 4.5.1.5. Tundra ponds | 124 |
| 3.6.2.1. Three-dimensional atmospheric models | 87 | 4.5.2. Lakes | 125 |
| Models for meteorological fields | 87 | 4.5.2.1. Phytoplankton and primary production | 125 |
| Dispersion models | 88 | 4.5.2.2. Zooplankton | 125 |
| Off-line dispersion models | 89 | 4.5.2.3. Benthic animals | 126 |
| On-line dispersion models | 89 | 4.5.2.4. Fish | 126 |
| 3.6.2.2. Multi-compartmental models | 90 | 4.5.3. Rivers | 127 |
| The Bergen and Toronto models | 90 | 4.5.3.1. Primary producers and invertebrates | 127 |
| 3.6.3. Freshwater systems | 92 | 4.5.3.2. Fish | 127 |
| 3.6.3.1. Introduction | 92 | 4.6. Marine ecosystems | 128 |
| 3.6.3.2. Norway | 92 | 4.6.1. Introduction | 128 |
| Physical, chemical, and biological processes in rivers and lakes | 92 | 4.6.2. Arctic Ocean Basin | 128 |
| Consequences for humans and ecosystems | 92 | 4.6.3. Shelves and marginal seas | 129 |
| Examples of the use of River System Simulator Gjengedal River system | 93 | 4.6.4. Special cases | 129 |
| Stjørdal River system | 93 | 4.6.4.1. Ice edges | 129 |
| 3.6.3.3. Canada | 93 | 4.6.4.2. Fjords, channels, straits, and polynyas | 130 |
| 3.6.3.4. United States | 93 | 4.6.4.2.1. Fjords | 130 |
| 3.6.3.5. Russia | 94 | 4.6.4.2.2. Channels and straits | 130 |
| 3.6.4. Marine system modeling | 94 | 4.6.4.2.3. Polynyas | 130 |
| 3.6.4.1. Objectives of modeling | 94 | 4.6.5. Pelagic food webs | 130 |
| 3.6.4.2. Types of models | 94 | 4.6.6. Benthic food webs | 130 |
| Ice models | 94 | 4.6.7. Arctic marine animals | 131 |
| Thermodynamics | 95 | 4.6.7.1. Seabirds | 131 |
| Requirements and constraints | 95 | 4.6.7.2. Fish | 132 |
| Quality and availability of data | 95 | 4.6.7.2.1. Arctic cod | 132 |
| Availability of models | 95 | 4.6.7.2.2. Atlantic cod | 132 |
| 3.6.4.3. Ocean models | 95 | 4.6.7.2.3. Other cods | 132 |
| Specific ocean models | 96 | 4.6.7.2.4. Greenland halibut | 132 |
| Coupled ice-ocean, Arctic modeling studies | 96 | 4.6.7.2.5. Capelin | 132 |
| Partially diagnostic models | 96 | 4.6.7.2.6. Redfish | 132 |
| Prognostic models | 96 | 4.6.7.2.7. Long rough dab or American plaice | 133 |
| Evaluation and verification of model results | 97 | 4.6.7.2.8. Herring | 133 |
| 3.6.4.4. Modeling of oceanic contaminant transport in Arctic seas | 97 | 4.6.7.3. Marine mammals | 133 |
| Examples of dispersion modeling | 97 | 4.6.7.3.1. Seals | 133 |
| | | 4.6.7.3.2. Whales | 134 |
| | | 4.6.7.3.3. Polar bear | 134 |
| | | Acknowledgments | 135 |
| | | References | 135 |

Chapter 5 · Peoples of the Arctic

| | | | |
|---|-----|--|-----|
| 5.1. Introduction | 142 | 5.8.6. Education | 163 |
| 5.2. United States: Alaska | 143 | 5.8.7. Language | 164 |
| 5.2.1. Geography | 143 | 5.8.8. Mortality and morbidity | 164 |
| 5.2.2. Population | 143 | 5.8.9. Health care | 164 |
| 5.2.2.1. Indigenous peoples | 143 | 5.9. Sweden | 164 |
| Aleut | 144 | 5.9.1. Geography | 164 |
| Alutiiq | 144 | 5.9.2. Population | 164 |
| Athabaskan | 144 | 5.9.3. Diet | 165 |
| Central Yup'ik | 144 | 5.9.4. Employment | 165 |
| Eyak | 144 | 5.9.5. Housing | 165 |
| Inuiupat | 144 | 5.9.6. Education | 165 |
| Siberian Yupik | 144 | 5.9.7. Mortality and morbidity | 165 |
| 5.2.2.2. Non-indigenous residents | 144 | 5.9.8. Health care | 165 |
| 5.2.3. Hunting, fishing, and gathering | 145 | 5.10. Finland | 165 |
| Fish | 145 | 5.10.1. Geography | 165 |
| Marine mammals | 146 | 5.10.2. Population | 165 |
| Terrestrial mammals | 146 | 5.10.3. Diet | 166 |
| Birds | 146 | 5.10.4. Employment | 166 |
| Plants | 146 | 5.10.5. Housing | 166 |
| 5.2.4. Diet | 146 | 5.10.6. Education | 166 |
| 5.2.5. Employment | 146 | 5.10.7. Language | 166 |
| 5.2.6. Housing | 147 | 5.10.8. Mortality and morbidity | 166 |
| 5.2.7. Education | 147 | 5.11. Russia | 167 |
| 5.2.8. Language | 147 | 5.10.1. Geography | 167 |
| 5.2.9. Mortality and morbidity | 148 | 5.11.2. Population | 167 |
| 5.2.10. Health care | 148 | 5.11.3. Diet | 169 |
| 5.3. Canada | 149 | 5.11.4. Employment | 169 |
| 5.3.1. Geography | 149 | 5.11.5. Housing | 171 |
| 5.3.2. Population | 149 | 5.11.6. Education | 171 |
| 5.3.2.1. Indigenous peoples | 149 | 5.11.7. Language | 172 |
| The Inuit | 150 | 5.11.8. Mortality and morbidity | 172 |
| Dene and Métis | 150 | 5.11.9. Health care | 173 |
| Yukon First Nations | 150 | 5.11.10. History of indigenous minorities of Arctic Russia | 173 |
| 5.3.2.2. Non-indigenous residents | 150 | 5.11.11. Development and prospects for the future of indigenous minorities | 173 |
| 5.3.3. Hunting, fishing, and gathering | 150 | 5.11.12. Murmansk Oblast | 174 |
| 5.3.4. Diet | 151 | 5.11.12.1. Geography | 174 |
| 5.3.5. Employment | 153 | 5.11.12.2. Population | 174 |
| 5.3.6. Housing | 153 | 5.11.12.3. Diet | 174 |
| 5.3.7. Education | 153 | 5.11.12.4. Employment | 175 |
| 5.3.8. Language | 153 | 5.11.13. Nenets Autonomous Okrug | 175 |
| 5.3.9. Mortality and morbidity | 154 | 5.11.13.1. Geography | 175 |
| 5.3.10. Health care | 154 | 5.11.13.2. Population | 175 |
| 5.4. Denmark: Greenland | 154 | 5.11.13.3. Diet | 175 |
| 5.4.1. Geography | 154 | 5.11.13.4. Employment | 175 |
| 5.4.2. Population | 154 | 5.11.14. Yamalo-Nenets Autonomous Okrug | 175 |
| 5.4.3. Hunting, fishing, and gathering | 154 | 5.11.14.1. Geography | 175 |
| 5.4.4. Diet | 155 | 5.11.14.2. Population | 175 |
| 5.4.5. Employment | 155 | 5.11.14.3. Diet | 175 |
| 5.4.6. Housing | 156 | 5.11.14.4. Employment | 175 |
| 5.4.7. Education | 156 | 5.11.15. Taimyr (Dolgan-Nenets) Autonomous Okrug | 176 |
| 5.4.8. Language | 157 | 5.11.15.1. Geography | 176 |
| 5.4.9. Mortality and morbidity | 157 | 5.11.15.2. Population | 176 |
| 5.4.10. Health care | 157 | 5.11.15.3. Diet | 176 |
| 5.5. Iceland | 157 | 5.11.15.4. Employment | 176 |
| 5.5.1. Geography | 157 | 5.11.16. Arctic districts of the Sakha Republic (Yakutia) | 176 |
| 5.5.2. Population | 157 | 5.11.16.1. Geography | 176 |
| 5.5.3. Diet | 158 | 5.11.16.2. Population | 176 |
| 5.5.4. Employment | 158 | 5.11.16.3. Diet | 176 |
| 5.5.5. Housing | 159 | 5.11.16.4. Employment | 176 |
| 5.5.6. Education | 159 | 5.11.17. Chukotka Autonomous Okrug | 177 |
| 5.5.7. Language | 159 | 5.11.17.1. Geography | 177 |
| 5.5.8. Mortality and morbidity | 159 | 5.11.17.2. Population | 177 |
| 5.5.9. Health care | 160 | 5.11.17.3. Diet | 177 |
| 5.6. Denmark: The Faeroe Islands | 160 | 5.11.17.4. Employment | 177 |
| 5.6.1. Geography | 160 | 5.12. Development and the future | 177 |
| 5.6.2. Population | 160 | 5.13. Indigenous knowledge and environmental contaminants | 178 |
| 5.6.3. Diet | 160 | 5.14. Discussion and conclusions | 178 |
| 5.6.4. Employment | 160 | Acknowledgments | 179 |
| 5.6.5. Housing | 161 | References | 179 |
| 5.6.6. Education | 161 | Chapter 6 · Persistent Organic Pollutants | |
| 5.6.7. Language | 161 | 6.1. Introduction | 184 |
| 5.6.8. Mortality and morbidity | 161 | 6.1.1. Physical and chemical characteristics of persistent organic pollutants (POPs) | 185 |
| 5.6.9. Health care | 161 | 6.1.1.1. Industrial products | 186 |
| 5.7. Saami | 161 | 6.1.1.1.1. Chlorinated industrial chemicals and by-products | 186 |
| 5.7.1. Geography | 161 | Hexachlorobenzene (HCB) | 186 |
| 5.7.2. Population | 161 | Polychlorinated biphenyls (PCBs) | 187 |
| 5.7.3. Diet | 162 | Polychlorinated-dibenzo- <i>p</i> -dioxins and furans (PCDD/Fs) | 187 |
| 5.7.4. Employment | 163 | 6.1.1.1.2. Polybrominated diphenyl ethers (PBDEs) | 188 |
| 5.7.5. Language | 163 | 6.1.1.2. Chlorinated pesticides | 188 |
| 5.8. Norway | 163 | 6.1.1.2.1. Persistent pesticides | 188 |
| 5.8.1. Geography | 163 | Polychlorobornanes and camphenes (Toxaphene) | 188 |
| 5.8.2. Population | 163 | | |
| 5.8.3. Diet | 163 | | |
| 5.8.4. Employment | 163 | | |
| 5.8.5. Housing | 163 | | |

| | | | |
|--|-----|--|-----|
| Chlordanes (CHL) | 188 | 6.6.3. Freshwater environment | 233 |
| Hexachlorocyclohexanes (HCH) | 188 | 6.6.3.1. Levels in water | 233 |
| Mirex | 188 | 6.6.3.1.1. Organochlorines in river water | 233 |
| Dieldrin | 189 | 6.6.3.1.2. Organochlorines in lake water | 234 |
| Dichlorodiphenyltrichloroethane (DDT) | 189 | 6.6.3.2. Freshwater surface sediments | 235 |
| 6.1.1.2.2. Less persistent chlorinated pesticides | 189 | 6.6.3.2.1. Spatial trends of organochlorines | 236 |
| 6.1.1.3. Other pesticides | 190 | 6.6.3.2.1.1. Latitudinal trends of PCB fluxes in lake sediments | 237 |
| 6.1.1.3.1. Tributyltin (TBT) | 190 | 6.6.3.2.1.2. Concentrations and patterns of PCDD/F congeners in lake and river sediments | 237 |
| 6.2. Sources of persistent organic pollutants | 190 | 6.6.3.2.1.3. PCDD/Fs in the Severnaya-Dvina River near Arkhangelsk, Russia | 238 |
| 6.2.1. Pathways | 190 | 6.6.3.2.2. Modeling OCs in Arctic lakes | 238 |
| 6.2.1.1. Particle/gas partitioning and atmospheric deposition processes | 191 | 6.6.3.3. Freshwater fish and invertebrates | 238 |
| 6.2.2. Global sources | 191 | 6.6.3.3.1. Circumpolar trends in <i>Salvelinus</i> species, Arctic char and lake trout | 239 |
| 6.2.2.1. HCH case study | 192 | 6.6.3.3.2. Burbot (<i>Lota lota</i>) | 240 |
| 6.2.3. Sources in circumpolar countries | 192 | 6.6.3.3.3. Lake whitefish (<i>Coregonus clupeaformis</i>) | 241 |
| 6.2.4. Local/regional sources within the Arctic | 193 | 6.6.3.3.4. Invertebrates | 241 |
| 6.2.4.1. PCBs at military sites | 194 | 6.6.3.4. Examples of food web transfer – freshwater envi- ronment | 242 |
| 6.2.4.2. Other PCB sources | 194 | 6.6.3.4.1. Biomagnification in Lake Laberge, Canada | 242 |
| 6.2.4.3. Specific PCDD/F sources | 195 | 6.6.3.4.2. Great Slave Lake and Slave River studies, Canada | 243 |
| 6.2.4.3.1. PCDD/F contamination from smelters | 195 | 6.6.3.5. Summary and conclusions – freshwater environment | 244 |
| 6.2.4.3.2. PCDD/F contamination from chlorine- bleached kraft pulp and paper mills | 196 | 6.6.3.5.1. Abiotic environment | 244 |
| 6.2.4.4. Pesticides | 196 | 6.6.3.5.2. Biota | 245 |
| 6.3. Characteristics of Arctic ecosystems related to POP accumulation | 196 | 6.6.4. Marine environment | 246 |
| 6.3.1. The relationship between food webs and POP accumulation | 197 | 6.6.4.1. Seawater | 247 |
| 6.3.1.1. Role of lipids in Arctic food webs | 198 | 6.6.4.1.1. Sea ice, suspended particulates, surface microlayers and fog waters | 250 |
| 6.3.1.2. Terrestrial food webs | 199 | 6.6.4.2. Marine sediments | 250 |
| 6.3.1.3. Freshwater food webs | 199 | 6.6.4.2.1. PCBs and organochlorine pesticides | 250 |
| 6.3.1.4. Marine food webs | 199 | 6.6.4.2.2. PCDD/Fs | 252 |
| 6.4. Bioaccumulation and biomagnification in terrestrial, freshwater, and marine environments – definitions and general principles | 201 | 6.6.4.2.3. Tributyltin | 253 |
| 6.4.1. Terrestrial ecosystem bioaccumulation/biomagnification | 201 | 6.6.4.3. Mass balance modeling of organochlorines in the Arctic Ocean | 253 |
| 6.4.2. Freshwater ecosystem bioaccumulation/biomagnification | 201 | 6.6.4.3.1. Hexachlorocyclohexane mass balance in the Arctic Ocean and regional seas | 254 |
| 6.4.3. Marine ecosystem bioaccumulation/biomagnification | 201 | 6.6.4.3.1.1. Budgets for water and dissolved HCHs | 254 |
| 6.5. Toxicology | 202 | 6.6.4.3.1.2. The atmospheric HCH budget | 256 |
| 6.5.1. Toxicokinetics | 202 | 6.6.4.3.1.3. Overall HCH budget for the Arctic Ocean | 256 |
| 6.5.2. Types of effects | 203 | 6.6.4.3.2. Toxaphene mass balance in the Arctic Ocean and regional seas | 257 |
| 6.5.2.1. Reproduction and development | 203 | 6.6.4.3.3. PCB mass balance in the Arctic Ocean and regional seas | 257 |
| 6.5.2.2. Cytochrome P450 system | 204 | 6.6.4.4. Marine invertebrates | 258 |
| 6.5.2.3. Porphyria | 205 | 6.6.4.4.1. Tributyltin | 259 |
| 6.5.2.4. Immune system | 205 | 6.6.4.5. Marine and anadromous fish | 259 |
| 6.5.2.5. Adrenal effects | 205 | 6.6.4.5.1. OC levels in anadromous fish | 259 |
| 6.5.2.6. Thyroid and retinol effects | 205 | 6.6.4.5.2. OC levels in marine fish | 260 |
| 6.5.2.7. Mutagenic and carcinogenic effects | 206 | 6.6.4.5.3. PCDD/Fs and planar PCBs in fish and invertebrates | 261 |
| 6.5.2.8. Effects of mixtures | 206 | 6.6.4.6. Seabirds | 262 |
| 6.5.3. Effects of specific POPs | 206 | 6.6.4.7. Pinnipeds and cetaceans | 264 |
| 6.5.3.1. Halogenated industrial chemicals and by-products | 207 | 6.6.4.7.1. Pinnipeds | 265 |
| 6.5.3.1.1. PCDDs, PCDFs, and PCBs | 207 | 6.6.4.7.2. Cetaceans | 267 |
| 6.5.3.1.2. Polybrominated diphenyl ethers (PBDEs) | 210 | 6.6.4.7.3. Persistent OCs in other marine mammal tissues | 268 |
| 6.5.3.2. Persistent organic pesticides | 211 | 6.6.4.7.4. Effects of age and sex on organochlorine levels in marine mammals | 268 |
| 6.5.3.2.1. Aldrin and dieldrin | 211 | 6.6.4.7.5. Spatial trends in non- <i>ortho</i> PCBs and PCDD/Fs in marine mammals | 268 |
| 6.5.3.2.2. Chlordane | 211 | 6.6.4.8. Polar bear | 269 |
| 6.5.3.2.3. DDT | 211 | 6.6.4.9. Arctic fox (Svalbard) | 273 |
| 6.5.3.2.4. Hexachlorobenzene (HCB) | 213 | 6.6.4.10. Specific examples of food web transfer – marine environment | 273 |
| 6.5.3.2.5. α -, β -, and γ -hexachlorocyclohexanes (HCHs) | 213 | 6.6.4.11. Summary and conclusions – marine environment | 275 |
| 6.5.3.2.6. Mirex | 214 | 6.6.4.11.1. Abiotic environment | 275 |
| 6.5.3.2.7. Toxaphene (campheclor, polychlorinated camphenes, polychlorinated bornanes) | 214 | 6.6.4.11.2. Modeling | 276 |
| 6.5.3.3. Less persistent organochlorine pesticides | 215 | 6.6.4.11.3. Biota | 276 |
| 6.5.3.3.1. Endosulfan | 215 | 6.7. Temporal variation in POP levels | 279 |
| 6.5.3.4. Other pesticides | 215 | 6.7.1. Air and precipitation | 279 |
| 6.5.3.4.1. Tributyltin (TBT) | 215 | 6.7.1.1. Temporal trends of OCs in air | 279 |
| 6.6. Regional and circumpolar levels and trends in abiotic and biotic media | 215 | 6.7.1.2. Long-term trends in OCs in precipitation – the Agassiz Ice Cap | 280 |
| 6.6.1. Air and precipitation | 217 | 6.7.2. Terrestrial environment | 280 |
| 6.6.1.1. Air | 217 | 6.7.2.1. Temporal trends of PCBs in moss across Norway | 280 |
| 6.6.1.2. Precipitation | 220 | 6.7.2.2. Temporal trends of OCs in reindeer in Sweden | 281 |
| 6.6.1.3. Summary and conclusions – air and precipitation | 222 | 6.7.2.3. Temporal trends of OCs in birds of prey | 281 |
| 6.6.2. Terrestrial environment | 223 | 6.7.2.3.1. The North American peregrine falcon | 281 |
| 6.6.2.1. Soils and plants | 223 | 6.7.2.3.2. Eurasian birds of prey | 281 |
| 6.6.2.2. Terrestrial herbivores | 225 | 6.7.2.3.3. Gyrfalcon in Iceland | 281 |
| 6.6.2.2.1. Caribou and reindeer | 225 | 6.7.2.4. Temporal trends of OCs in mustelids in Sweden | 281 |
| 6.6.2.2.2. Waterfowl and other terrestrial birds | 227 | 6.7.3. Freshwater environment | 282 |
| 6.6.2.3. Birds of prey | 228 | 6.7.3.1. Lake sediments | 283 |
| 6.6.2.3.1. North American peregrine falcon | 228 | | |
| 6.6.2.3.2. Eurasian peregrine falcon | 229 | | |
| 6.6.2.3.3. White-tailed sea eagle in Norway and Sweden | 229 | | |
| 6.6.2.3.4. Gyrfalcon in Iceland | 229 | | |
| 6.6.2.3.5. Fennoscandian merlin | 229 | | |
| 6.6.2.4. Other carnivores | 229 | | |
| 6.6.2.4.1. Mustelids | 229 | | |
| 6.6.2.4.2. Red fox and wolf | 230 | | |
| 6.6.2.5. An example of food chain transfer. The lichen → caribou → wolf food chain (Canada) | 231 | | |
| 6.6.2.6. Summary and conclusions – terrestrial environment | 232 | | |

| | |
|--|------------|
| 6.7.3.1.1. Historical profiles of PCBs in lake sediments | 283 |
| 6.7.3.1.2. Historical profiles and fluxes of PCDD/Fs in lake sediments | 283 |
| 6.7.3.2. Temporal trends of OCs in fish in northern Scandinavia | 284 |
| 6.7.3.3. Temporal trends of OCs in freshwater fish in the North American Arctic | 285 |
| 6.7.4. Marine environment | 286 |
| 6.7.4.1. Sediments | 286 |
| 6.7.4.2. Temporal trends of OCs in seabirds | 286 |
| 6.7.4.3. Temporal trends of OCs in pinnipeds and cetaceans | 287 |
| 6.7.4.3.1. Pinnipeds | 287 |
| 6.7.4.3.2. Cetaceans | 287 |
| 6.7.4.4. Temporal trends of OCs in polar bear | 288 |
| 6.7.4.5. Temporal trends of OCs in Arctic fox (Svalbard) | 288 |
| 6.7.5. Summary and conclusions – temporal trends | 288 |
| 6.8. Biological effects | 290 |
| 6.8.1. Terrestrial environment | 291 |
| 6.8.1.1. Caribou and reindeer | 291 |
| 6.8.1.2. Waterfowl | 291 |
| 6.8.1.3. Birds of prey | 291 |
| 6.8.1.3.1. Peregrine falcon | 292 |
| 6.8.1.3.2. Merlin | 294 |
| 6.8.1.3.3. White-tailed sea eagle | 294 |
| 6.8.1.3.4. Gyrfalcon | 295 |
| 6.8.1.4. Wolf and red fox | 295 |
| 6.8.1.5. Mustelids | 295 |
| 6.8.1.5.1. Mink | 295 |
| 6.8.1.5.2. Otter | 297 |
| 6.8.2. Freshwater environment | 298 |
| 6.8.2.1. Fish | 298 |
| 6.8.3. Marine environment | 299 |
| 6.8.3.1. Invertebrates | 299 |
| 6.8.3.2. Fish | 299 |
| 6.8.3.3. Seabirds | 299 |
| 6.8.3.4. Cetaceans | 300 |
| 6.8.3.4.1. Beluga | 300 |
| 6.8.3.4.2. Narwhal | 301 |
| 6.8.3.4.3. Minke whale | 301 |
| 6.8.3.4.4. Harbour porpoise | 301 |
| 6.8.3.5. Pinnipeds | 302 |
| 6.8.3.5.1. Seals | 302 |
| 6.8.3.5.2. Walrus | 302 |
| 6.8.3.6. Polar bear | 302 |
| 6.8.3.7. Arctic fox | 304 |
| 6.8.4. Summary and conclusions – biological effects | 304 |
| 6.8.4.1. Observed effects | 304 |
| 6.8.4.2. Assessment of current levels in biota | 304 |
| 6.9. Conclusions and recommendations | 306 |
| 6.9.1. Levels and effects | 306 |
| 6.9.1.1. Air and precipitation | 306 |
| 6.9.1.2. Seawater and freshwater | 306 |
| 6.9.1.3. Sediments and suspended solids | 306 |
| 6.9.1.4. Biota | 306 |
| 6.9.2. Sources | 309 |
| 6.9.3. Budget modeling results | 309 |
| 6.9.4. Spatial trends | 310 |
| 6.9.5. Temporal trends | 310 |
| 6.9.6. General monitoring | 311 |
| Acknowledgments | 313 |
| References | 313 |
| Annex | 335 |
| Table 6-A1. Physical and chemical properties of organic contaminants | 336 |
| Table 6-A2. Chemical structures of persistent organic pollutants | 337 |
| Table 6-A3. Concentrations and ranges of organochlorine residues in soils and plants in the Arctic | 338 |
| Table 6-A4. Concentrations of organochlorine residues in terrestrial herbivores, birds in the terrestrial food web in summer, and peregrine falcon prey species | 340 |
| Table 6-A5. Concentrations of organochlorine residues in terrestrial carnivores, including birds of prey | 343 |
| Table 6-A6. Concentrations of organochlorine pesticides in rivers of Russia flowing to the Arctic Ocean | 345 |
| Table 6-A7. Organochlorines in suspended sediment from major rivers in the Russian Arctic | 345 |
| Table 6-A8. Concentrations of major OC groups in freshwater surface sediments | 346 |
| Table 6-A9. Mean levels of organochlorines in freshwater fish and invertebrates | 347 |
| Table 6-A10. Mean and range of concentrations of major organochlorine groups in seawater from the Russian Arctic | 351 |
| Table 6-A11. Mean and range of concentrations of major organochlorine groups in suspended particulate matter from the Russian Arctic seas | 352 |
| Table 6-A12. Levels of organochlorines in the sea ice and snow cover of the coastal and offshore regions in the seas of the Russian Arctic for the winter season of 1993 | 352 |
| Table 6-A13. Air-surface exchange processes, parameters, and environmental data used for mass balance modeling of HCH, toxaphene, and PCBs in the Arctic Ocean | 353 |
| Table 6-A14. Summary of major organochlorines in Arctic marine sediments | 354 |
| Table 6-A15. Mean concentrations and ranges of major organochlorines in marine invertebrates | 358 |
| Table 6-A16. Mean levels of organochlorines in Arctic seabirds and shorebirds | 360 |
| Table 6-A17. Mean concentrations of major organochlorines in anadromous and marine fishes collected in 1990-1994 | 362 |
| Table 6-A18. Recent mean concentrations of organochlorines in marine mammal samples from Arctic waters | 365 |
| Table 6-A19. Concentrations of non-ortho substituted PCBs and PCDD/Fs in Arctic marine biota | 367 |
| Table 6-A20. Mean concentrations and ranges of POPs in polar bear and Arctic fox | 369 |
| Table 6-A21. Polychlorinated dibenzo- <i>p</i> -dioxins and furans in Arctic freshwater and marine sediments | 370 |
| Table 6-A22. Concentrations of polychlorinated dibenzo- <i>p</i> -dioxins, polychlorinated dibenzofurans (PCDFs) and non-ortho substituted PCBs (nPCBs), as well as TCDD TEQs in terrestrial and freshwater Arctic animals | 371 |
| Chapter 7 · Heavy Metals | |
| 7.0. Introduction | 374 |
| 7.1. Physical/chemical characteristics | 374 |
| 7.1.1. Identification of metals to be considered | 374 |
| 7.1.2. Speciation of metals in the environment | 375 |
| Atmosphere | 375 |
| Aquatic systems | 375 |
| Mercury | 376 |
| Cadmium | 376 |
| Lead | 376 |
| 7.2. Sources of pollution | 376 |
| 7.2.1. Natural sources | 376 |
| 7.2.2. Anthropogenic sources | 377 |
| 7.2.2.1. Sources and fluxes of atmospheric input on a global scale | 377 |
| 7.2.2.2. Sources and fluxes of aquatic input on a global scale | 379 |
| 7.2.2.3. Terrestrial input and output of heavy metals on a global scale | 380 |
| 7.2.3. Emission inventories for sources within and outside the Arctic | 380 |
| 7.2.3.1. Atmospheric emissions from sources outside the Arctic and their trends | 381 |
| 7.2.3.2. Atmospheric emissions from sources within the Arctic | 382 |
| 7.2.3.3. Aquatic emissions from sources outside the Arctic | 383 |
| 7.2.3.4. Aquatic emissions from sources within the Arctic | 384 |
| 7.2.3.5. International agreements on emission reduction | 384 |
| 7.3. Special issues of pathways of metals | 384 |
| 7.3.1. Atmospheric transport | 384 |
| 7.3.1.1. Dispersion models to study the impacts of sources outside the Arctic | 384 |
| 7.3.1.2. Receptor models to study the impact of sources outside the Arctic | 386 |
| 7.3.1.3. Modeling the dispersion of emissions from sources in the Arctic | 387 |
| 7.3.2. Rivers | 387 |
| 7.3.3. Estuaries | 387 |
| 7.3.4. Oceans | 388 |
| 7.3.5. Ice | 388 |
| 7.4. Toxicological characteristics | 388 |
| 7.4.1. Toxicokinetics: general principles | 388 |
| 7.4.2. Uptake | 389 |
| 7.4.2.1. Bioaccumulation and biomagnification: general principles | 389 |
| 7.4.2.2. Terrestrial ecosystem: bioaccumulation/biomagnification | 390 |
| 7.4.2.3. Freshwater ecosystem: bioaccumulation/biomagnification | 390 |
| 7.4.2.4. Marine ecosystem: bioaccumulation/biomagnification | 390 |
| 7.4.3. Transport, biotransformation, and distribution | 391 |
| 7.4.4. Excretion | 393 |
| 7.4.5. Uptake, accumulation, and loss in biota | 393 |
| 7.4.5.1. Lead | 394 |
| 7.4.5.2. Cadmium | 394 |
| 7.4.5.3. Mercury | 395 |
| 7.4.5.4. Selenium | 396 |
| 7.5. Toxicological effects | 396 |
| 7.5.1. Lead | 397 |
| 7.5.2. Cadmium | 397 |
| 7.5.3. Mercury | 398 |
| 7.5.4. Selenium | 399 |

| | |
|---|-----|
| 7.6. Regional and circumpolar levels and trends of metal contamination | 400 |
| 7.6.1. Atmosphere | 400 |
| 7.6.1.1. Air concentrations in the High Arctic | 400 |
| 7.6.1.2. Concentrations of heavy metals in subarctic air | 402 |
| 7.6.1.3. Atmospheric deposition in the Arctic | 402 |
| 7.6.2. Terrestrial ecosystems | 405 |
| 7.6.2.1. Soil | 405 |
| 7.6.2.2. Microorganisms | 406 |
| 7.6.2.3. Vegetation | 406 |
| 7.6.2.4. Terrestrial birds | 407 |
| 7.6.2.5. Mammals | 409 |
| 7.6.3. Freshwater ecosystems | 411 |
| 7.6.3.1. Metals in freshwater | 411 |
| 7.6.3.2. Metals in freshwater sediment | 412 |
| 7.6.3.2.1. River and lake bottom sediments | 412 |
| 7.6.3.2.2. Freshwater particulates | 414 |
| 7.6.3.2.3. River heavy metal fluxes | 414 |
| 7.6.3.3. Microorganisms | 415 |
| 7.6.3.4. Algae and plants | 415 |
| 7.6.3.5. Metals in freshwater invertebrates | 415 |
| 7.6.3.6. Fish | 415 |
| 7.6.3.7. Metals in aquatic birds | 416 |
| 7.6.3.8. Mammals | 416 |
| 7.6.4. Wetland ecosystems | 416 |
| 7.6.5. Marine ecosystem | 416 |
| 7.6.5.1. Seawater | 419 |
| Lead | 419 |
| Cadmium | 419 |
| Mercury | 419 |
| 7.6.5.2. Sediments | 418 |
| Copper | 420 |
| Zinc | 420 |
| Lead | 420 |
| Cadmium | 420 |
| Mercury | 420 |
| Arsenic | 421 |
| 7.6.5.3. Microorganisms | 421 |
| 7.6.5.4. Algae | 421 |
| Lead | 421 |
| Cadmium | 421 |
| Mercury and selenium | 422 |
| 7.6.5.5. Invertebrates | 422 |
| Lead | 422 |
| Cadmium | 423 |
| Mercury | 423 |
| Selenium | 424 |
| 7.6.5.6. Fish | 424 |
| Lead | 424 |
| Cadmium | 424 |
| Mercury | 425 |
| Selenium | 426 |
| 7.6.5.7. Seabirds | 426 |
| Lead | 426 |
| Cadmium | 426 |
| Mercury | 427 |
| Selenium | 427 |
| 7.6.5.8. Marine mammals | 427 |
| Lead | 427 |
| Cadmium | 428 |
| Mercury | 431 |
| Selenium | 436 |
| 7.7. Biological effects (acute, short-, and long-term toxicity; reproductive, physiological, and behavioral effects; etc.) | 437 |
| 7.7.1. Effects on terrestrial ecosystems | 437 |
| 7.7.2. Effects on freshwater ecosystems | 437 |
| 7.7.3. Effects on marine ecosystems | 438 |
| Lead | 438 |
| Cadmium | 438 |
| Mercury | 440 |
| Selenium | 440 |
| 7.8. Conclusions and recommendations | 440 |
| 7.8.1. Conclusions | 440 |
| 7.8.1.1. Sources and transport of metals | 440 |
| 7.8.1.2. Arctic metal concentrations relative to global background | 442 |
| 7.8.1.3. Spatial trends within the Arctic | 443 |
| 7.8.1.4. Temporal trends within the Arctic | 443 |
| 7.8.1.5. Observed biological effect and health aspects attributable to metals | 443 |
| 7.8.1.5.1. Observed biological effect | 443 |
| 7.8.1.5.2. Tissue burdens of metals relative to national standards | 443 |
| 7.8.2. Recommendations | 443 |
| Acknowledgments | 443 |
| References | 444 |
| Annex | 453 |
| Table 7-A1. Metals in soils | 454 |
| Table 7-A2. Metals in vegetation | 455 |
| Table 7-A3. Metals in terrestrial/aquatic birds | 459 |
| Table 7-A4. Metals in terrestrial mammals | 462 |
| Table 7-A5. Metals in freshwater sediment | 467 |
| Table 7-A6. Metals in freshwater particulates | 468 |
| Table 7-A7. Metals in freshwater | 469 |
| Table 7-A8. Metals in freshwater invertebrates | 470 |
| Table 7-A9. Metals in freshwater fish | 470 |
| Table 7-A10. Metals in marine sediments | 473 |
| Table 7-A11. Metals in marine algae | 481 |
| Table 7-A12. Metals in marine invertebrates | 483 |
| Table 7-A13. Metals in marine fish | 487 |
| Table 7-A14. Metals in marine birds | 495 |
| Table 7-A15. Metals in marine mammals | 504 |
| Table 7-A16. Metals in wetlands | 522 |
| Table 7-A17. Guideline values | 524 |
| Chapter 8 · Radioactivity | |
| 8.1. Introduction | 526 |
| 8.2. Fundamentals and definitions | 526 |
| 8.2.1. Radioactivity | 526 |
| 8.2.1.1. Natural radioactivity | 526 |
| 8.2.1.2. Artificial radioactivity | 527 |
| 8.2.2. Effects of radionuclides | 527 |
| 8.2.2.1. The concept of risk | 527 |
| 8.2.2.2. Health effects and units of dose | 527 |
| Natural radiation and exposures | 528 |
| 8.2.3. The system of radiological protection | 529 |
| 8.2.3.1. Practices | 529 |
| Individual doses, dose limits and dose constraints | 529 |
| Collective doses | 530 |
| Exclusion and exemption | 530 |
| 8.2.3.2. Intervention | 530 |
| 8.2.3.3. Radiological assessments | 530 |
| 8.2.3.4. The basis for intervention | 531 |
| 8.2.3.5. Other issues relevant to radiological assessment | 531 |
| 8.2.3.5.1. Relationship between radiation exposure and risk of adverse health effects | 531 |
| 8.2.3.5.2. Transport processes and exposure pathways | 532 |
| Atmospheric transport | 532 |
| Marine transport | 532 |
| Terrestrial transport | 532 |
| Interception | 533 |
| Soil-to-plant transfer | 533 |
| Plant-to-animal transfer | 533 |
| Freshwater pathways | 533 |
| Marine pathways | 534 |
| 8.2.4. Modeling | 534 |
| Integrated transfer factors | 535 |
| Aggregated transfer coefficients (T_{ags}) | 535 |
| 8.2.5. The AMAP assessment | 536 |
| 8.3. Past and present radioactive contamination of the Arctic | 536 |
| 8.3.1. Geographical distribution of radioactive contamination | 537 |
| 8.3.1.1. Widespread contamination of land and sea | 537 |
| Terrestrial contamination | 537 |
| Marine contamination | 539 |
| 8.3.1.2. Localized contamination | 541 |
| 8.3.1.2.1. Short-range fallout from Novaya Zemlya tests | 541 |
| 8.3.1.2.2. Chernaya Bay | 542 |
| 8.3.1.2.3. The Thule accident | 542 |
| Plutonium in Bylot Sound seawater | 542 |
| Plutonium in Bylot Sound sediments | 543 |
| 8.3.1.2.4. Contamination at sea dumping sites | 543 |
| 8.3.1.2.5. Sunken <i>Komsomolets</i> submarine | 544 |
| 8.3.2. Time dependence of radioactive contamination | 544 |
| 8.3.2.1. Air and deposition | 545 |
| 8.3.2.2. Terrestrial and freshwater ecosystems | 547 |
| 8.3.2.2.1. Lichen | 547 |
| 8.3.2.2.2. Reindeer meat | 548 |
| 8.3.2.2.3. Freshwater ecosystems | 549 |
| 8.3.2.3. Marine ecosystems | 550 |
| 8.3.2.3.1. Seawater | 550 |
| 8.3.2.3.2. Fish and marine mammals | 550 |
| 8.3.3. Human wholebody measurements | 550 |
| 8.3.4. Summary | 552 |
| 8.4. Individual doses to man estimated from environmental measurements | 552 |
| 8.4.1. Natural radiation | 552 |
| External exposures from natural sources | 552 |
| Internal exposures from natural sources | 552 |
| 8.4.2. Radionuclide contamination | 553 |
| 8.4.2.1. Information base for individual dose estimates | 553 |

| | |
|--|------------|
| Finnish Lapland | 553 |
| Greenland (Kalaallit Nunaat) | 553 |
| Northern Canada | 553 |
| Northern Russia | 554 |
| Northern Norway | 554 |
| Alaska | 554 |
| Iceland | 555 |
| Arctic Sweden | 555 |
| Diet intakes by Arctic populations | 555 |
| 8.4.2.2. External and internal doses to humans | 555 |
| External exposure from anthropogenic sources | 555 |
| Internal doses from anthropogenic sources | 555 |
| 8.4.3. Intakes of ¹³⁷ Cs through various dietary components | 558 |
| Variations in sources of ¹³⁷ Cs intake | 559 |
| Temporal variations in ¹³⁷ Cs intake | 560 |
| Changes in the relative importance of dietary components with time | 561 |
| 8.4.4. Summary | 562 |
| 8.5. Source-related assessments of past and present releases | 562 |
| 8.5.1. Nuclear explosions | 562 |
| 8.5.1.1. Atmospheric nuclear weapons tests | 562 |
| 8.5.1.2. Underground nuclear explosions | 564 |
| 8.5.1.2.1. Underground explosions carried out in the Arctic by the former Soviet Union | 564 |
| 8.5.1.2.2. Underground explosions carried out in the Arctic by the United States | 565 |
| 8.5.2. Operational releases from the nuclear fuel cycle | 565 |
| 8.5.2.1. Nuclear power plants | 565 |
| 8.5.2.1.1. Nuclear power plants in the Arctic | 565 |
| Atmospheric releases | 566 |
| Liquid releases | 566 |
| Other wastes | 566 |
| 8.5.2.1.2. Nuclear power plants in the vicinity of the Arctic | 566 |
| Russian NPPs | 566 |
| Finnish NPPs | 567 |
| Swedish NPPs | 568 |
| 8.5.2.2. Russian civilian nuclear fleet | 568 |
| 8.5.2.3. The Russian Northern Fleet | 570 |
| 8.5.2.3.1. Nuclear-powered vessel operations | 570 |
| 8.5.2.3.2. Decommissioning | 570 |
| 8.5.2.3.3. Storage of the spent nuclear fuel and radioactive waste | 570 |
| 8.5.2.3.4. Shipyards | 571 |
| 8.5.2.4. European nuclear fuel reprocessing plants | 571 |
| 8.5.2.4.1. British nuclear fuels plant at Sellafield, UK | 572 |
| 8.5.2.4.2. La Hague, France | 573 |
| 8.5.2.4.3. Dounreay, UK | 573 |
| 8.5.2.4.4. Dose reconstruction for releases from Western European reprocessing plants | 574 |
| 8.5.2.5. Russian nuclear fuel reprocessing plants | 575 |
| 8.5.2.5.1. Mayak | 575 |
| 8.5.2.5.2. Tomsk-7 | 576 |
| 8.5.2.5.3. Krasnoyarsk-26 | 576 |
| 8.5.2.5.4. Assessment of river transport and associated doses | 576 |
| 8.5.2.6. Mining activities | 577 |
| 8.5.3. Accidental releases | 577 |
| 8.5.3.1. The accidents at the Mayak weapons production plant in 1957 and at Lake Karachay in 1967 | 577 |
| The Kyshtym accident, 1957 | 577 |
| Lake Karachay, 1967 | 577 |
| 8.5.3.2. The Thule nuclear weapons accident in 1968 | 577 |
| 8.5.3.3. The Cosmos-954 satellite re-entry in 1978 | 578 |
| 8.5.3.4. The Chernobyl accident in 1986 | 579 |
| 8.5.3.4.1. The accident and associated source term | 579 |
| 8.5.3.4.2. Radiological consequences at temperate latitudes | 579 |
| 8.5.3.4.3. Transport and deposition in the Arctic | 579 |
| Marine transport to the Arctic seas | 580 |
| 8.5.3.4.4. Food chain and human contamination | 580 |
| Lichen | 580 |
| Reindeer | 580 |
| Human body | 580 |
| 8.5.3.4.5. Countermeasures | 581 |
| 8.5.3.4.6. Human dose estimations | 581 |
| 8.5.3.5. Accidents involving nuclear-powered vessels | 581 |
| 8.5.3.5.1. Sunken <i>Komsomolets</i> submarine | 582 |
| 8.5.3.5.1.1. Accident and source term | 582 |
| 8.5.3.5.1.2. Radiological assessments of the <i>Komsomolets</i> accident | 583 |
| 8.5.4. Summary | 585 |
| 8.6. Source-related assessments of potential releases | 585 |
| 8.6.1. Nuclear power plant reactor accidents | 585 |
| Safety criteria | 585 |
| 8.6.1.2. Probabilistic safety assessment (PSA) | 586 |
| 8.6.1.3. Studies to assess the consequences of major reactor accidents | 587 |
| 8.6.2. Potential accidental releases from nuclear vessels and nuclear storage sites | 588 |
| 8.6.3. Potential releases from reprocessing plants | 588 |
| 8.6.3.1. Mobilisation of radionuclides released to the terrestrial environment | 590 |
| 8.6.3.2. Mayak | 591 |
| 8.6.3.3. Tomsk | 591 |
| 8.6.3.4. Krasnoyarsk | 591 |
| 8.6.4. Radioactive wastes dumped at sea | 591 |
| 8.6.4.1. Surveys of dumped objects | 592 |
| 8.6.4.2. International Arctic Seas Assessment Project (IASAP) | 592 |
| 8.6.4.2.1. Source term reconstruction | 593 |
| 8.6.4.2.2. Consideration of possible criticality | 594 |
| 8.6.4.2.3. Pathway modeling and radiological assessment | 594 |
| 8.6.4.2.4. Effects on marine organisms | 595 |
| 8.6.4.2.5. Remediation | 595 |
| 8.6.4.2.6. Conclusions of IASAP | 595 |
| 8.6.5. Nuclear weapons | 595 |
| 8.6.6. Radionuclide thermoelectric generators | 596 |
| 8.6.7. Summary | 597 |
| 8.7. Spatial analysis of vulnerability of Arctic ecosystems | 597 |
| 8.7.1. Sources of radionuclide intake by humans | 597 |
| 8.7.2. Spatial distribution of Arctic communities | 598 |
| 8.7.3. Spatial differences in transfer through pathways | 599 |
| 8.7.4. Changes with time | 600 |
| 8.7.5. Transfer coefficients and relationships | 600 |
| 8.7.5.1. UNSCEAR transfer coefficients | 600 |
| 8.7.5.2. Spatial and temporal variations in transfer to Arctic food products using aggregated transfer coefficients | 602 |
| 8.7.5.2.1. Spatial variation in total production | 603 |
| Reindeer production | 603 |
| Milk production | 604 |
| 8.7.5.2.2. Spatial variation in fluxes | 604 |
| Reindeer | 604 |
| Milk | 604 |
| Radioiodine contamination of milk | 606 |
| 8.7.7. Sensitivity to uncertainties: radiocaesium in fungi and berries | 606 |
| 8.7.8. Flux vulnerability of Arctic Norway | 606 |
| 8.7.8.1. Production data | 606 |
| 8.7.8.2. Aggregated transfer coefficients | 606 |
| 8.7.8.3. Total ¹³⁷ Cs output | 607 |
| 8.7.8.4. Spatial distribution of the Norwegian Arctic population | 608 |
| 8.7.8.5. Conclusions | 608 |
| 8.7.9. Summary | 609 |
| 8.8. Conclusions and recommendations | 609 |
| 8.8.1. Conclusions | 609 |
| 8.8.2. General recommendations | 610 |
| 8.8.3. Specific recommendations | 611 |
| 8.8.3.1. Recommendations regarding storage of spent nuclear fuel and radioactive waste | 611 |
| 8.8.3.2. Recommendations regarding monitoring | 611 |
| 8.8.3.3. Recommendations for further study to correct information deficiencies | 611 |
| Acknowledgments | 611 |
| References | 612 |
| Annex | 615 |
| Table 8-A1. ¹³⁷ Cs activity concentrations (Bq/kg) in food products consumed by the average population in Arctic Finland | 616 |
| Table 8-A2. ¹³⁷ Cs activity concentrations (Bq/kg) in food products consumed by Finnish Sami reindeer herders, (1550 people) | 616 |
| Table 8-A3. ¹³⁷ Cs activity concentrations (Bq/kg) in some food products consumed by the Greenland average population and by the selected group | 616 |
| Table 8-A4. ¹³⁷ Cs activity concentrations (Bq/kg) in food products consumed by the average population in northern Canada and by the selected group | 617 |
| Table 8-A5. ¹³⁷ Cs activity concentrations (Bq/kg) in food products consumed by the average population of the Russian Arctic | 617 |
| Table 8-A6. ¹³⁷ Cs activity concentrations (Bq/kg) in food products consumed by reindeer herders and their families in the western part of the Russian Arctic | 617 |
| Table 8-A7. ¹³⁷ Cs activity concentrations (Bq/kg) in food products consumed by reindeer herders and their families in the eastern part of the Russian Arctic | 617 |
| Table 8-A8. ¹³⁷ Cs activity concentrations (Bq/kg) in some food products consumed in Arctic Norway by average population and the selected group | 618 |
| Table 8-A9. ¹³⁷ Cs activity concentrations (Bq/kg) in food products consumed by the average population in Arctic Sweden | 618 |
| Table 8-A10. ¹³⁷ Cs activity concentrations (Bq/kg) in food products consumed by Swedish reindeer herders | 618 |
| Table 8-A11. ⁹⁰ Sr activity concentrations (Bq/kg) in some food products consumed by the Greenland population | 618 |
| Table 8-A12. ⁹⁰ Sr activity concentrations (Bq/kg) in food products | 618 |

| | |
|---|-----|
| consumed by the average population of the Russian Arctic | 619 |
| Table 8-A13. ⁹⁰ Sr activity concentrations (Bq/kg) in food products consumed by reindeer herdsman and their families in the western part of the Russian Arctic | 619 |
| Table 8-A14. Sr-90 activity concentrations (Bq/kg) in food products consumed by reindeer herdsman and their families in the eastern part of the Russian Arctic | 619 |

Chapter 9 · Acidifying Pollutants, Arctic Haze, and Acidification in the Arctic

| | |
|---|-----|
| 9.1. Introduction | 621 |
| 9.2. Sources of acidifying compounds | 622 |
| 9.2.1. Sources outside the Arctic | 622 |
| 9.2.1.1. Anthropogenic sources | 622 |
| 9.2.1.2. Natural sources | 624 |
| 9.2.2. Sources within the Arctic | 625 |
| 9.2.2.1. Metal smelters | 625 |
| 9.2.2.2. Exploitation and usage of fossil fuels | 625 |
| 9.2.2.3. Natural emissions | 625 |
| 9.3. Atmospheric processes | 626 |
| 9.3.1. Arctic air chemistry | 626 |
| 9.3.1.1. The sulfur cycle | 626 |
| 9.3.1.2. Nitrogen chemistry | 626 |
| 9.3.2. Arctic geophysical properties affecting acidic compounds | 626 |
| 9.4. Concentration of acidifying compounds | 627 |
| 9.4.1. Measurements of atmospheric concentrations | 627 |
| 9.4.2. Precipitation chemistry | 628 |
| 9.4.3. Glacial measurements | 630 |
| 9.4.4. Modeling results | 631 |
| 9.5. Arctic haze | 633 |
| 9.5.1. Arctic haze phenomenon | 633 |
| 9.5.2. Occurrence of Arctic haze | 634 |
| 9.6. Deposition of acidifying compounds | 635 |
| 9.6.1. Wet and dry deposition | 635 |
| 9.6.2. Modeling deposition | 636 |
| 9.7. Processes regulating terrestrial and aquatic acidification | 637 |
| 9.7.1. Soil acidification | 637 |
| 9.7.1.1. Chemical processes | 637 |
| 9.7.1.2. Hydrological processes | 638 |
| 9.7.1.3. Biological processes | 638 |
| 9.7.1.4. Natural and anthropogenic soil acidification | 638 |
| 9.7.2. Aquatic acidification | 639 |
| 9.7.2.1. Processes governing aquatic acidification | 639 |
| 9.7.3. Calculating critical loads | 639 |
| 9.8. Trends indicating acidification | 640 |
| 9.8.1. Terrestrial parameters | 640 |
| 9.8.1.1. Soil solution and percolation water quality | 640 |
| 9.8.2. Aquatic parameters | 640 |
| 9.8.2.1. Streams and rivers | 640 |
| 9.8.2.2. Lakes | 641 |
| 9.8.2.3. Groundwaters | 642 |
| 9.8.2.4. Episodic acidic pulses | 642 |
| 9.9. Spatial scales of terrestrial and aquatic acidification | 642 |
| 9.9.1. Geographic extent of soil acidification | 642 |
| 9.9.1.1. Regional sensitivity of soils to acidification | 642 |
| 9.9.1.2. Evidence of soil acidification in the Arctic | 643 |
| 9.9.2. Geographic extent of surface water acidification | 643 |
| 9.9.2.1. Acidification of surface waters in northern Norway, Sweden, Finland and Russia | 643 |
| 9.9.2.2. Acidification of waters in Arctic Canada and Alaska | 644 |
| 9.9.3. Critical loads of acidity and their exceedance | 644 |
| 9.10. Effects of acidification on Arctic ecosystems | 646 |
| 9.10.1. Effects on soils | 646 |
| 9.10.1.1. Soil fertility | 646 |
| 9.10.1.2. Soil microbiology and decomposition | 646 |
| 9.10.2. Effects on vegetation | 646 |
| 9.10.2.1. Effects on forests | 646 |
| 9.10.2.2. Effects on lichens and shrubs | 648 |
| 9.10.3. Effects on freshwater ecosystems | 648 |
| 9.10.3.1. Arctic freshwater biota | 649 |
| 9.10.3.2. Effects on decomposition | 649 |
| 9.10.3.3. Effects on plankton | 649 |
| 9.10.3.4. Effects on periphyton and higher vegetation | 649 |
| 9.10.3.5. Effects on invertebrates | 649 |
| 9.10.3.6. Effects on fish | 650 |
| 9.10.4. Effects on birds and mammals | 651 |
| 9.11. Scenarios for acidification | 651 |
| 9.11.1. Available geochemical models | 651 |
| 9.11.2. Potential development of Arctic acidification | 651 |
| 9.12. Conclusions and recommendations | 652 |
| 9.12.1. Conclusions | 652 |
| 9.12.2. Recommendations | 653 |
| Acknowledgments | 653 |
| References | 653 |

Chapter 10 · Petroleum Hydrocarbons

| | |
|--|-----|
| 10.1. Reason for concern | 661 |
| 10.2. Regional development and transportation of petroleum resources | 664 |
| 10.2.1. Canada | 664 |
| 10.2.2. United States | 664 |
| 10.2.3. Russia | 665 |
| 10.2.4. Nordic countries | 666 |
| 10.2.5. Environmental regulation related to Arctic oil and gas activities | 667 |
| 10.3. Sources of hydrocarbons and related pollutants to the Arctic | 667 |
| 10.3.1. Natural oil seeps | 667 |
| 10.3.2. Exploration and production activities | 668 |
| 10.3.2.1. Drilling muds and cuttings | 668 |
| 10.3.2.2. Produced water | 669 |
| 10.3.3. Oil spills | 669 |
| 10.3.4. Shipping | 670 |
| 10.3.5. Local land-based discharges and runoff | 670 |
| 10.3.6. Long-range transport of petroleum hydrocarbons into the Arctic | 670 |
| 10.4. Environmental transport and fate of petroleum hydrocarbons | 671 |
| 10.4.1. Aquatic environments | 671 |
| 10.4.1.1. Dispersion of oil in the sea | 671 |
| 10.4.1.2. Dispersion of oil in freshwater | 672 |
| 10.4.1.3. Environmental alteration of oil | 673 |
| 10.4.1.4. Oil spill modeling | 674 |
| 10.4.1.5. The retention of oil by coasts | 676 |
| 10.4.2. Oil spills on land | 676 |
| 10.5. Levels of petroleum hydrocarbons | 678 |
| 10.5.1. Levels in the marine environment | 679 |
| 10.5.2. Levels in the freshwater environment | 681 |
| 10.5.3. Levels in the terrestrial environment | 682 |
| 10.6. Levels of polynuclear aromatic hydrocarbons (PAHs) | 682 |
| 10.6.1. PAHs in the marine environment | 683 |
| 10.6.2. PAHs in the freshwater environment | 685 |
| 10.6.3. PAHs in the terrestrial environment | 685 |
| 10.7. Environmental effects | 685 |
| 10.7.1. Effects in terrestrial ecosystems | 685 |
| 10.7.2. Effects in freshwater ecosystems | 686 |
| 10.7.3. Effects in coastal and marine ecosystems | 687 |
| 10.7.3.1. Plankton communities and productivity | 687 |
| 10.7.3.2. Benthic communities | 688 |
| 10.7.3.3. Sub-ice communities | 689 |
| 10.7.3.4. Fish, birds, and marine mammals | 689 |
| 10.7.3.5. Effects of petroleum activity on marine organisms and systems | 691 |
| 10.7.4. Biological effects of PAHs | 692 |
| 10.8. Conclusions and recommendations | 693 |
| Acknowledgments | 694 |
| References | 694 |
| Annex | 701 |
| Table 10-A1. Concentrations of petroleum hydrocarbons in freshwater | 702 |
| Table 10-A2. Concentrations of petroleum hydrocarbons in freshwater particulates | 703 |
| Table 10-A3. Concentrations of petroleum hydrocarbons in seawater | 703 |
| Table 10-A4. Concentrations of petroleum hydrocarbons in marine particulates | 705 |
| Table 10-A5. Concentrations of petroleum hydrocarbons in freshwater sediments | 705 |
| Table 10-A6. Concentrations of petroleum hydrocarbons in marine sediments | 706 |
| Table 10-A7. Concentrations of petroleum hydrocarbons in soils | 708 |
| Table 10-A8. Concentrations of petroleum hydrocarbons in freshwater biota | 709 |
| Table 10-A9. Concentrations of petroleum hydrocarbons in marine biota | 709 |
| Table 10-A10. Polynuclear aromatic hydrocarbons in freshwater particulates | 710 |
| Table 10-A11. Polynuclear aromatic hydrocarbons in seawater | 710 |
| Table 10-A12. Polynuclear aromatic hydrocarbons in marine particulates | 711 |
| Table 10-A13. Polynuclear aromatic hydrocarbons in freshwater sediments | 711 |
| Table 10-A14. Polynuclear aromatic hydrocarbons in marine sediments | 712 |
| Table 10-A15. Polynuclear aromatic hydrocarbons in terrestrial mammals | 713 |
| Table 10-A16. Polynuclear aromatic hydrocarbons in plants and mushrooms | 713 |
| Table 10-A17. Polynuclear aromatic hydrocarbons in freshwater fishes | 714 |
| Table 10-A18. Polynuclear aromatic hydrocarbons in birds | 714 |
| Table 10-A19. Polynuclear aromatic hydrocarbons in marine fishes | 715 |
| Table 10-A20. Polynuclear aromatic hydrocarbons in marine invertebrates | 716 |

Chapter 11 · Climate Change, Ozone, and Ultraviolet Radiation

| | | | |
|--|-----|--|-----|
| 11.1. Introduction | 717 | 11.5.2.2. Photochemical effects of UV – Dissolved organic matter | 752 |
| 11.2. Climate change | 718 | 11.5.2.3. UV and marine ecosystem | 753 |
| 11.2.1. Dynamic interactions | 718 | 11.5.2.3.1. Primary producers | 754 |
| 11.2.1.1. Energy balance | 718 | 11.5.2.3.2. Bacteria | 755 |
| 11.2.1.2. Trace gas balance | 719 | 11.5.2.3.3. Zooplankton | 755 |
| 11.2.1.3. Hydrological cycle | 719 | 11.5.2.3.4. Invertebrates | 755 |
| 11.2.2. Climate change: Methods of assessment and recent trends | 720 | 11.5.2.3.5. Fish populations | 755 |
| 11.2.2.1. Temperature records | 720 | 11.5.2.3.6. Larger animals | 755 |
| 11.2.2.2. Radiatively important trace substances | 723 | 11.5.2.4. Climate change and Arctic freshwater | 755 |
| 11.2.2.3. Water vapor | 723 | 11.5.2.4.1. Climate change and Arctic lakes and ponds | 755 |
| 11.2.2.4. Precipitation | 723 | 11.5.2.4.2. Climate change and rivers and streams | 756 |
| 11.2.2.5. Hydroclimatology | 725 | 11.5.2.5. UV and Arctic freshwater | 756 |
| 11.2.2.6. Sea ice | 725 | 11.6. Effects of climate change and UV radiation on Arctic peoples | 757 |
| 11.2.2.7. Vegetation | 725 | 11.6.1. Pre-historical and historical effects of climate change | 757 |
| 11.2.2.8. Soils and permafrost | 726 | 11.6.2. Settlement and resource use | 757 |
| 11.2.2.9. Glaciers and ice sheets | 726 | 11.6.3. Economic activities | 758 |
| 11.2.2.10. Ice and sediment cores | 726 | 11.6.3.1. Commercial fisheries | 758 |
| 11.2.2.10.1. Ice cores | 726 | 11.6.3.2. Reindeer herding | 758 |
| 11.2.2.10.2. Paleocological records | 727 | 11.6.3.3. Transportation | 758 |
| 11.2.2.11. Historical and archaeological evidence | 728 | 11.6.3.4. Forestry | 758 |
| 11.2.3. Ability to predict | 728 | 11.6.3.5. Agriculture | 759 |
| 11.2.4. Components of the Arctic | 729 | 11.6.4. Effects of UV radiation on human health | 759 |
| 11.2.4.1. Oceanic regime | 729 | 11.7. International efforts | 759 |
| 11.2.4.1.1. Ocean stratification and water circulation | 729 | 11.7.1. Agreements | 759 |
| 11.2.4.1.2. Sea ice | 730 | 11.7.2. Programs | 760 |
| Leads and polynyas | 730 | 11.7.3. Assessments | 760 |
| Snow cover | 731 | 11.7.3.1. Climate change | 760 |
| Melt ponds | 731 | 11.7.3.2. Ozone and UV | 760 |
| 11.2.4.2. Terrestrial regime | 731 | 11.8. Conclusions and recommendations | 761 |
| 11.2.4.2.1. Soil | 731 | 11.8.1. Climate change: Conclusions | 761 |
| 11.2.4.2.2. Permafrost | 731 | 11.8.2. Climate change: Recommendations | 761 |
| 11.2.4.2.3. Runoff | 732 | 11.8.3. Ozone: Conclusions | 761 |
| 11.2.4.2.4. Snow | 732 | 11.8.4. Ozone: Recommendations | 761 |
| 11.2.4.2.5. Terrestrial ecosystems – Physical properties | 733 | 11.8.5. UV: Conclusions | 761 |
| 11.2.4.2.6. Arctic glaciers and ice sheets | 733 | 11.8.6. UV: Recommendations | 762 |
| 11.2.4.3. Atmospheric regime | 734 | 11.8.7. Climate change and UV effects on ecosystems: Conclusions | 762 |
| 11.2.4.3.1. Atmospheric structure and components | | 11.8.8. Climate change and UV effects on ecosystems: Recommendations | 762 |
| Temperature | 734 | 11.8.9. Climate change and UV effects on humans: Conclusions | 762 |
| Surface winds | 734 | 11.8.10. Climate change and UV effects on humans: Recommendations | 762 |
| Clouds | 735 | Acknowledgments | 762 |
| 11.2.4.3.2. Radiatively important trace substances | 735 | References | 763 |
| Carbon dioxide | 736 | | |
| Methane (CH ₄) | 736 | | |
| Carbon monoxide | 736 | | |
| Nitrous oxide (N ₂ O) | 736 | | |
| Chloroflourocarbons (CFCs) | 737 | | |
| Water vapor | 737 | | |
| Aerosols | 737 | | |
| Tropospheric ozone | 738 | | |
| 11.3. Arctic stratospheric ozone | 739 | | |
| 11.3.1. Arctic stratospheric ozone | 739 | | |
| 11.3.2. Chemistry of ozone depletion – Polar vortex dynamics | 739 | | |
| 11.3.3. Measurements of stratospheric ozone | 740 | | |
| 11.3.4. Results of measurements | 740 | | |
| 11.3.5. Arctic ozone anomalies | 742 | | |
| 11.3.5.1. Type 1 Arctic ozone anomaly | 742 | | |
| 11.3.5.2. Type 2 Arctic ozone anomaly | 744 | | |
| 11.4. UV radiation | 744 | | |
| 11.4.1. Measurements | 745 | | |
| 11.4.2. Modeling | 746 | | |
| 11.4.3. Biologically relevant UV | 746 | | |
| 11.4.3.1. Spectral considerations | 746 | | |
| 11.4.3.2. Geometrical considerations | 746 | | |
| 11.4.4. UV on land | 747 | | |
| 11.4.5. UV penetration in aquatic systems | 748 | | |
| 11.5. Effects of climate change and UV radiation on the biosphere | 749 | | |
| 11.5.1. Terrestrial ecosystems | 749 | | |
| 11.5.1.1. Climate change effects on terrestrial ecosystems | 749 | | |
| 11.5.1.1.1. Vegetation | 749 | | |
| Plant communities | 749 | | |
| Nutrient availability | 750 | | |
| Permafrost and vegetation | 750 | | |
| Water stress | 750 | | |
| 11.5.1.1.2. Invertebrates | 750 | | |
| 11.5.1.1.3. Vertebrates | 750 | | |
| 11.5.1.2. UV effects on terrestrial ecosystems | 751 | | |
| 11.5.1.2.1. Dwarf shrubs, mosses, and lichens | 751 | | |
| 11.5.1.2.2. Decomposition | 751 | | |
| 11.5.1.2.3. Animals | 752 | | |
| 11.5.2. Aquatic ecosystems | 752 | | |
| 11.5.2.1. Climate change and marine ecosystems | 752 | | |
| 11.5.2.1.1. Marine fish | 752 | | |
| 11.5.2.1.2. Larger animals | 752 | | |
| 11.5.2.2. Photochemical effects of UV – Dissolved organic matter | 752 | | |
| 11.5.2.3. UV and marine ecosystem | 753 | | |
| 11.5.2.3.1. Primary producers | 754 | | |
| 11.5.2.3.2. Bacteria | 755 | | |
| 11.5.2.3.3. Zooplankton | 755 | | |
| 11.5.2.3.4. Invertebrates | 755 | | |
| 11.5.2.3.5. Fish populations | 755 | | |
| 11.5.2.3.6. Larger animals | 755 | | |
| 11.5.2.4. Climate change and Arctic freshwater | 755 | | |
| 11.5.2.4.1. Climate change and Arctic lakes and ponds | 755 | | |
| 11.5.2.4.2. Climate change and rivers and streams | 756 | | |
| 11.5.2.5. UV and Arctic freshwater | 756 | | |
| 11.6. Effects of climate change and UV radiation on Arctic peoples | 757 | | |
| 11.6.1. Pre-historical and historical effects of climate change | 757 | | |
| 11.6.2. Settlement and resource use | 757 | | |
| 11.6.3. Economic activities | 758 | | |
| 11.6.3.1. Commercial fisheries | 758 | | |
| 11.6.3.2. Reindeer herding | 758 | | |
| 11.6.3.3. Transportation | 758 | | |
| 11.6.3.4. Forestry | 758 | | |
| 11.6.3.5. Agriculture | 759 | | |
| 11.6.4. Effects of UV radiation on human health | 759 | | |
| 11.7. International efforts | 759 | | |
| 11.7.1. Agreements | 759 | | |
| 11.7.2. Programs | 760 | | |
| 11.7.3. Assessments | 760 | | |
| 11.7.3.1. Climate change | 760 | | |
| 11.7.3.2. Ozone and UV | 760 | | |
| 11.8. Conclusions and recommendations | 761 | | |
| 11.8.1. Climate change: Conclusions | 761 | | |
| 11.8.2. Climate change: Recommendations | 761 | | |
| 11.8.3. Ozone: Conclusions | 761 | | |
| 11.8.4. Ozone: Recommendations | 761 | | |
| 11.8.5. UV: Conclusions | 761 | | |
| 11.8.6. UV: Recommendations | 762 | | |
| 11.8.7. Climate change and UV effects on ecosystems: Conclusions | 762 | | |
| 11.8.8. Climate change and UV effects on ecosystems: Recommendations | 762 | | |
| 11.8.9. Climate change and UV effects on humans: Conclusions | 762 | | |
| 11.8.10. Climate change and UV effects on humans: Recommendations | 762 | | |
| Chapter 12 · Pollution and Human Health | | | |
| 12.1. Introduction | 776 | | |
| 12.2. Toxicology and health effects of contaminants | 777 | | |
| 12.2.1. Toxicology of persistent organic pollutants (POPs) | 777 | | |
| 12.2.1.1. DDT/DDE/DDD | 778 | | |
| 12.2.1.2. Toxaphene | 778 | | |
| 12.2.1.3. Hexachlorocyclohexanes (HCHs) | 778 | | |
| 12.2.1.4. Mirex | 779 | | |
| 12.2.1.5. Chlordane, oxychlordane and <i>cis</i> - and <i>trans</i> -nonachlor | 779 | | |
| 12.2.1.6. Dioxins (PCDDs) and furans (PCDFs) | 779 | | |
| 12.2.1.7. PCBs | 780 | | |
| 12.2.1.8. Hexachlorobenzene | 781 | | |
| 12.2.2. Toxicology of PAHs | 781 | | |
| 12.2.3. Toxicology of heavy metals | 781 | | |
| 12.2.3.1. Mercury (Hg) | 782 | | |
| Metabolism | 782 | | |
| Toxic effects | 782 | | |
| 12.2.3.2. Cadmium (Cd) | 783 | | |
| Absorption and organ distribution | 783 | | |
| Toxic effects | 783 | | |
| 12.2.3.3. Lead (Pb) | 784 | | |
| Absorption and organ distribution | 784 | | |
| Toxic effects | 784 | | |
| 12.2.3.4. Nickel (Ni) | 785 | | |
| Absorption and organ distribution | 785 | | |
| Toxic effects | 785 | | |
| Hypersensitivity reactions | 786 | | |
| Asthma | 786 | | |
| Allergic dermatitis | 786 | | |
| Other immunotoxic responses | 786 | | |
| Cancer | 786 | | |
| Miscellaneous toxicological effects | 786 | | |
| Reproductive and developmental toxicity | 786 | | |
| Renal toxicity | 786 | | |
| Cardiotoxicity | 786 | | |
| Concluding remarks | 786 | | |
| 12.2.3.5. Arsenic (As) | 786 | | |
| Toxic effects | 787 | | |
| Toxicity of inorganic arsenic | 787 | | |

| | | | |
|---|-----|--|-----|
| Health effects of inorganic arsenic | 787 | Sources of exposure | 807 |
| Vascular effects | 787 | Water | 807 |
| Neurological effects | 787 | Air | 808 |
| Toxicity of organic arsenic | 788 | Occupational | 808 |
| Concluding remarks | 788 | 12.4.4.3. Russia and Norway – Levels and trends of | |
| 12.2.4. Health effects of ionizing and non-ionizing radiation | 788 | contaminants in humans | 808 |
| 12.2.4.1. Radionuclides | 788 | Methods | 808 |
| Radiocaesium | 789 | Persistent organic pollutants | 808 |
| Radiostrontium | 789 | Metals | 809 |
| Radionuclides of lead and polonium | 789 | Mercury | 809 |
| Other radionuclides | 789 | Cadmium | 809 |
| 12.2.4.2. UV radiation | 789 | Lead | 810 |
| Biological effects | 789 | Nickel | 810 |
| Erythema | 790 | Copper | 811 |
| Snow blindness | 790 | Zinc | 812 |
| Elastosis | 790 | Selenium | 812 |
| Skin cancer | 790 | Iron | 812 |
| Cataract | 790 | Clinical chemical parameters | 813 |
| Photodermatoses | 790 | Radionuclides | 813 |
| Immune system | 791 | 12.4.4.4. Finland | 814 |
| Antioxidant defense | 791 | Introduction | 814 |
| General conclusions | 791 | Sources of exposure | 814 |
| 12.3. Essential elements and other nutrients | 791 | Water | 814 |
| 12.3.1. Copper (Cu) | 791 | Air | 814 |
| Copper deficiency | 791 | Levels and trends of contaminants in humans | 814 |
| Copper toxicity | 791 | Persistent organic pollutants | 814 |
| Accepted reference intervals | 791 | Metals | 814 |
| 12.3.2. Zinc (Zn) | 791 | Mercury | 814 |
| 12.3.3. Selenium (Se) | 792 | Cadmium | 815 |
| 12.3.4. Iron (Fe) | 792 | Copper and zinc | 815 |
| 12.3.5. Tin (Sn) | 792 | Selenium | 815 |
| 12.3.6. Other nutrients | 793 | Radionuclides | 815 |
| 12.4. National reports | 793 | 12.4.4.5. Conclusions for Norway, Russia and Finland | 815 |
| 12.4.1. Canada | 793 | 12.4.5. Sweden | 816 |
| Introduction | 793 | Introduction | 816 |
| Sources of exposure | 793 | Sources of exposure | 816 |
| General population | 793 | Food | 816 |
| Local populations | 793 | Permissible levels in food | 817 |
| Levels and trends of contaminants in humans | 794 | Water | 817 |
| DDT and metabolites | 794 | Air | 817 |
| Toxaphene | 794 | Occupational | 817 |
| PCBs | 794 | Other | 817 |
| Dioxins (PCDDs) and furans (PCDFs) | 795 | Levels and trends of contaminants in humans | 817 |
| Mirex | 795 | Persistent organic pollutants | 817 |
| Chlordane | 795 | Metals | 818 |
| Hexachlorocyclohexanes (HCHs) | 796 | Mercury | 818 |
| POPs in newborn cord blood | 796 | Lead | 818 |
| PAHs | 796 | Cadmium | 819 |
| Mercury | 796 | Selenium | 819 |
| Lead | 798 | Arsenic | 819 |
| Cadmium | 799 | Radionuclides | 819 |
| Radiocaesium | 799 | Other potential hazards | 819 |
| Radiostrontium | 799 | Conclusions | 819 |
| Radioiodine | 799 | 12.5. International study: Data comparison | 820 |
| Radiolead and radiopolonium | 800 | Introduction | 820 |
| Radium | 800 | Methods | 820 |
| Radon | 800 | Results and discussion | 820 |
| Conclusions | 800 | Persistent organic pollutants | 821 |
| 12.4.2. Denmark/Greenland and The Faeroe Islands | 801 | Metals and essential elements | 823 |
| Introduction | 801 | 12.6. Risk assessment, management and communication | 823 |
| 12.4.2.1. Greenland | 801 | General considerations | 823 |
| Sources of exposure | 801 | Risk assessment of individual contaminants | 824 |
| General population | 801 | Persistent organic pollutants | 824 |
| Local population groups | 801 | Mercury | 826 |
| Dietary habits | 802 | Lead | 826 |
| Levels and trends of contaminants in humans | 802 | Cadmium | 826 |
| Persistent organic pollutants | 802 | Arsenic | 827 |
| Mercury | 802 | Nickel | 827 |
| Lead | 803 | Radionuclides | 827 |
| Cadmium | 803 | 12.7. Conclusions and recommendations | 827 |
| Selenium | 804 | 12.7.1. Conclusions | 827 |
| Other metals | 804 | General conclusions | 827 |
| Other epidemiological factors | 804 | POPs | 827 |
| 12.4.2.2. Faeroe Islands | 804 | Heavy metals | 828 |
| Levels and trends of contaminants in humans | 804 | Essential elements | 828 |
| 12.4.2.3. Conclusions | 805 | Radiation | 828 |
| 12.4.3. Iceland | 806 | Estimates of exposure and effects | 828 |
| Introduction | 806 | 12.7.2. Recommendations | 829 |
| Sources of exposure | 806 | On the scientific assessment level | 829 |
| Levels and trends of contaminants in humans | 806 | On the public health policy level | 829 |
| 12.4.4. Norway, Russia and Finland | 806 | On the national and international policy level | 829 |
| 12.4.4.1. Norway | 806 | Acknowledgments | 829 |
| Introduction | 806 | References | 829 |
| Sources of exposure | 806 | Annex | 837 |
| Water | 807 | Table 12-A1. Guidelines for DDT/DDE/DDD | 836 |
| Air | 807 | Table 12-A2. Guidelines for HCH | 836 |
| Occupational | 807 | Table 12-A3. Guidelines for mirex | 836 |
| 12.4.4.2. Russia | 807 | | |
| Introduction | 807 | | |

| | |
|--|-----|
| Table 12-A4. Guidelines for dioxin (TCDD toxequivalents) | 837 |
| Table 12-A5. Guidelines for furans (TCDD toxequivalents) | 837 |
| Table 12-A6. Guidelines for PCB | 837 |
| Table 12-A7. Guidelines for mercury | 838 |
| Table 12-A8. Guidelines for lead | 838 |
| Table 12-A9. Guidelines for cadmium. | 839 |
| Table 12-A10. Guidelines for nickel | 839 |
| Table 12-A11. Guidelines for arsenic | 839 |
| Table 12-A12. Plasma levels of persistent organic pollutants | 840 |
| Table 12-A13. Blood levels of metals | 831 |

Appendix 1 Reference list over species names mentioned in this report 845

Appendix 2 List of abbreviations and acronyms, and descriptions
of selected symbols and terms mentioned in this report. 850